Shenzhen ERALED Optoelectronics Co., Ltd.

LED curtain display



Features

Flex curtain offers a low-weight, visually see-through graphic & video display of indoor & outdoor. Thanks to its aluminum alloy grille type frame which weighs can reach 9kg each cabinet. The structure is designed strong but quickly & easily-assembling & hang-up.

Including high quality power supply and signal device connectors as well as automatic identification function for signal input and output, the color curtain LED display screen is provided with steady performance and high protection class. So, it requires less maintenance and features convenient maintenance as well. The LED display screen can be remotely controlled, and is able to achieve automatic temperature and humidity adjustment, and operation status monitoring and alarming functions.

Specifications

Brightness	1000 ~5500NIT
Contrast ratio	1,000:1(adjustable)
Brightness adjustment	100 grade auto/manual-adjustment
Readability viewing angle	Horizontal/ Vertical: 170°
Color capability	4.4 trillion
Refresh rate	>1100 Hz(adjustable)
Interface port	DVI interface(DVI connector)
Input signal	VGA/Video/AVI/MOV/MPG/DAT/VOB
Protection grade	IP65 Outdoor/IP50 indoor
Lifetime	100,000 hours
Signal transmission direction	Horizontal
Operating temperature	-15～+55'
Storage temperature	-30～+65'
Operation humidity	0-95%
Operation humidity	0-99%
Servicing	Front and back serving optional
Control mode	Synchronous/Asynchronous
Communication options	Wire Ethernet/Fiber Etherne/R/wireless/3G
Power	120/240 V AC single phase(50-60Hz)

Address: ERALED Industry Park, Xincheng Road, Shajing town, Bao an District, Shenzhen, China.
TEL.+0086-755 366 985 78; Website:http://www.eraled.cn Email: lisaeraled@eraled.cn

Photos of sample room

• P12.5



• P7.62



• P20



Screen



Address: ERALED Industry Park, Xincheng Road, Shajing town, Bao an District, Shenzhen, China.
TEL.+0086-755 366 985 78; Website:http://www.eraled.cn Email: lisaeraled@eraled.cn

Cases



Address: ERALED Industry Park, Xincheng Road, Shajing town, Bao an District, Shenzhen, China.
TEL.+0086-755 366 985 78; Website:http://www.eraled.cn Email: lisaeraled@eraled.cn